



Q Acoustics E120

Bluetooth DAB+/FM Installed Hi-Fi

Superior sounding, zero clutter, installed wireless Hi-fi system for any room in the home.

Leading audio specialist Q Acoustics introduces the E120, an installed wireless hi-fi system for any room in a home. Drawing on the company's rich audio expertise, the E120 continues Q Acoustics' exemplary credentials of designing class-leading, award-winning loudspeakers and wireless music systems.

Pair the convenient wall-mounting E120 with Q Acoustics' range of discreet in-ceiling or in-wall speakers and homeowners can experience a zero clutter, wireless home hi-fi system, powerful enough to fill any room with dynamic and superior audio - the perfect case of hearing but not seeing.





Q Acoustics E120 key features include:

- Easy wall-mounting installation in any room in a home.
- Zero clutter design – pair with two or four Q Acoustics ceiling or wall speakers.
- High-quality built-in class D stereo amplifier serving up 2 x 25W of power.
- IP54-rating makes it suitable for kitchen and bathroom installations.
- Features Bluetooth 5.0 for wireless streaming of music from compatible devices.
- Built-in DAB+ and FM radio with one-touch presets.
- Touch sensitive facia control, splash proof and full-sized remote control supplied.
- 3.2-inch colour display.
- Boasts digital and analogue inputs for connection of audio sources such as TV audio.
- Audio output suitable for a subwoofer.

E120 with Q Acoustics in-ceiling and in-wall speaker recommended combinations:

E120 & Q i65C Professional in-ceiling speakers for most indoor applications.

E120 & Q i65RP Performance in-wall speakers for a discrete hi-fi.

E120 & Q i65EW Weatherproof on-wall speakers for gardens and veranda (wall mount the E120 by the exit).

E120 & Q i65CW Weatherproof in-ceiling speakers for showers, bathrooms and veranda.

Q i65C



Q i65RP




Q i65EW



Q i65CW





Technical specification:

Audio Sources: DAB / DAB+ / FM with RDS

Bluetooth: Version 5.0, A2DP

Analogue input:

- Type: 3.5mm stereo
- Sensitivity: 350mV
- Max level: 1.5V
- Impedence: 10k ohm

Optical input:

- Type: mini TOSLINK
- Resolution: 16bit 48kHz

Speaker outputs: Left & right, stereo or dual mono

Analogue output:

- Type: 3.5mm stereo
- Modes: Fixed or variable
- Max level: 670mV

Amplifier:

- Type: Class D
- Continuous power: 2 x 25W @ 6ohm
- THD: 0.07% @ 1W / 0.2% @ rated power
- SNR: >75dB @ Rated power
- Frequency response: 20Hz - 20kHz +/- 1dB

IP ratings:

- E120 wall panel: IP54
- Splash proof remote: IP67

Control:

- Touch sensitive buttons
- Infra-red remote control
- Bluetooth AVRCP v1.6: Play, pause, skip, track, artist, album name

Menu languages:

English, German, Dutch, French, Danish, Spanish, Italian, Norwegian, Polish, Finnish

Alarms: x2 once, daily, weekdays, weekends

Power supply:

- Input: 100 - 240V AC 50/60 Hz
- Output : 22V DC 1.5amps
- Dimensions (HxWxD): 30mm x 50mm x 115mm

Power consumption:

- Typical: 10W
- Standby: <1W
- Deep standby: <0.5W

Wall panel

- Net weight: 0.251kg
- Dimensions (HxWxD): 91mm x 151mm x 33mm

Speaker cable supplied:

- Gauge : 19 AWG
- Lengths: 2 x 7m

Power cable supplied:

- Gauge: 16 AWG
- Lengths: 5m
- Connectors: 5.5mm x 2.5mm DC male / 5.5mm x 2.5mm DC female

Product codes:

QI0120 Q E120 System Pack Black

QI0122 Q E120 System Pack White

Please contact your local Areas Sales Manager for further information.

E:info@avayesymphony.com

T: +98 21 8825 5079